

FIG. 1A




FIG. 1B

FIG. 1C






FIG. 1D



Abstract



710




FIG. 2B




Fig. 3

09440023.112999

Requisition ID

12

Description

Purchasing Instructions

Items

To introduce or add an item to this job:

Select item type:

Forms: Flat Sheet

Add Item

Created: 11/23/08 03:40 PM
Copyright © ABC Advisors, Inc., 1998. All Rights Reserved

Fig. 4

Requisition ID

Description

Purchasing Instructions

Items

To introduce or add an item to this job

Select item type

Forms: Flat Sheet

Forms: Flat Sheet

Forms: Snap Sets

Forms: Continuous

Envelopes

Labels

Mailer

Rolled Labels

Continuous Rolls

Commercial Printing

110

120

115

id: 11/23/98 03:48 PM
sors, Inc., 1998. All Rights Reserved

Fig. 5

09450023 112999

Requisition ID	Master Job ID/Description
Job Number	Master Job ID
Job Description	Description

Quality and Quantities

Quantity	
130	

Undermin permitted of 0.06

complete set(s) of film	<input checked="" type="checkbox"/>
film or plate ready disc(s)	<input type="checkbox"/>

Quality samples sent directly to production contact

Item Maintenance - Netscape

File Edit View Go Communication Help

Minimum notice of days if inspection required

Production Contact

Kevin Long

Tub Size

155

Stock

Color

Manufacturer

Grade

Basis Weight

lbs per 500 sheets

Document Done

Rod Goodwin

Vicki Long

Joshua Long

Zachary Long

Mike Smith

Patricia Gentry

Kevin Long

Shannon Jackson

William Gindlesperger

Brian Ridenour

Steve Chohany

Doug Herbert

Ricki Winegardner

150

160

165

170

175

145

72

Fig. 8

Item Maintenance - Netscape

File

Edit

View

Go

Bookmarks

Help

Form Size

-

by

Inches

Width

Length

Stock

Color

Manufacturer

Grade

Basis Weight

Basis Size

Width

Length

Specification equivalents acceptable. If alternative paper to be used, please supply sample with proof.

No recycled paper requirement

160

165

170

175

180

185

188

Fig. 9

09400000 110000

Item Maintenance - Netscape

File Edit View Help Communications

File Edit View Help Communications

Inks List

Bleeds (Number of Sides)

From

189

Coverage ☒ Light ☐ Medium ☐ Heavy

Back

Coverage ☒ Light ☐ Medium ☐ Heavy

Layout ☒ r/a ☐ b

Run on press capable of printing 4 colors in 1 pass? ☐ Yes ☒ No

Ink must contain at least 20% vegetable oil? ☐ Yes ☒ No

Tight registration? ☒ Yes ☐ No

Laser proof ink required? ☐ Yes ☒ No

Match ink required? ☐ Yes ☒ No

File Edit View Help Communications

File Edit View Help Communications

File Edit View Help Communications

File Edit View Help Communications

File Edit View Help Communications

File Edit View Help Communications

File Edit View Help Communications

File Edit View Help Communications

File Edit View Help Communications

File Edit View Help Communications

72

Fig. 10

09450023 112999

● Binding

Specify the binding style, the bound side of the book and, if the binding style is stitched, how many stitches are used.

190
195

● Folds

Please specify the fold system to use or define each of the fold lines.

● Pits

Please specify the number of full and partial vertical perforation lines and the number of full and partial horizontal perforation lines.

● Scoring

Please specify the number of vertical and/or horizontal score lines.

72

Fig. 11

If a binding style or saddle or side stitch is selected, enter the number of stitches used per bound item.

Style

Saddle Stitch

- Side Stitch
- Perfect Bound
- Hard/Case Bound
- Smythe Sewn
- GBC
- Spiral
- Loose Leaf

Number of Stitches

Side Bound

Left Top Right Bottom

Done

Cancel

Fig. 12

NetScape

File Edit View Go Communication Help

PublicSpace Workspace

Active

Create

Delete

Find

Trash

72

Packaging

Package ☐ Wrap Suitable ☒ in quantities of

Carton ☐ Carton Suitable ☒

Palletize ☐ Palletize Suitable ☒

Label Internal Package? ☐ Yes ☒ No

External Package? ☒ Yes ☐ No

Barcode ☐

Other Packaging
Information

Save Item Delete Item

Created : 11/23/08 03:59 PM

Copyright © ABC Advisors, Inc., 1998. All Rights Reserved

Fig. 14




FIG. 15